










R (max) m	H1 m	R (min) m	H2 m	Rfs m
60	20,6	5,6	66,2	24
55	19,4	4,9	61,2	22
50	18,2	5,0	56,0	20
45	17,0	4,2	51,0	19
40	15,8	4,0	46,0	19
35	14,6	3,9	40,8	19
30	10,6	3,2	34,7	19



Load Chart / 载荷曲线




Mechanisms / 机构




POWER / 功率				Operating voltage / 工作电压	Generator / 发电机
Hoist / 起升机构	Luffing / 仰臂机构	Slewing / 回转机构	Travel / 行走机构		
HFU2-45-30	LFU2-45-40	(2x) SFU-7.5	(2x) RT-7.5	380 V 3ph 50 Hz	210 kVA
HFU2-65-30					240 kVA


Optional
选 项


*




	n°	Ref.	Ø	h
	1	SJ25	2.0	5.5
1x SJ25 = 1x SJ25M				

R max. 最大压力	In operation 工作状态	5XR72.....111 t
	Out of service 非工作状态	5XR72.....144 t




	n°	Ref.	Ø	h
	7	DJ33	2.5	5.5

R max. 最大压力	In operation 工作状态	5XR43..... 119 t
	Out of service 非工作状态	5XR43..... 167 t




5XA72				
R	55 / 50	45 / 40	35 / 30	
(m) W/W	55 / 50	45 / 40	35 / 30	
A max	23.9	29.4	34.9	
A min	23.9	29.4	23.9	
B max	-	16.5	22.0	
B min	-	16.5	16.5	
C max	28.6	28.6	34.1	34.1
H max	52.5	69.0	63.5	85.5

ES72				
R	55 / 50	45 / 40	35 / 30	
(m) W/W	55 / 50	45 / 40	35 / 30	
A max	22.1	27.6	33.1	
A min	22.1	27.6	22.1	
B max	-	16.5	22.0	
B min	-	16.5	16.5	
C max	28.6	28.6	34.1	34.1
H max	50.7	67.2	61.7	83.7



5XA43				
R	60	55	50 / 45	40
(m) W/W	60	55	50 / 45	40
A max	18.4	23.9	29.4	34.9
A min	18.4	23.9	23.9	23.9
B max	-	16.5	22.0	27.5
B min	-	16.5	16.5	16.5
C max	29.3	29.3	34.8	40.3
H max	47.7	64.2	58.7	80.7

ES43				
R	60	55 / 50	45 / 40	35
(m) W/W	60	55 / 50	45 / 40	35
A max	27.6	33.1	38.6	44.1
A min	22.1	22.1	22.1	22.1
B max	-	16.5	22.0	27.5
B min	-	16.5	16.5	16.5
C max	29.3	29.3	34.8	40.3
H max	56.9	73.4	67.9	89.9



(H) C/25	W (R)	W (m)	Hs < 300 m	A max (m)	A min (m)
54.0 (4x SJ25+TDJ23A+ 4x DJ23A+CLDJ23A-1)	30 35	30 35	25.0	11.0	
48.5 (3x SJ25+TDJ23A+ 4x DJ23A+CLDJ23A-1)	40	40	22.3	11.0	
43.0 (2x SJ25+TDJ23A+ 4x DJ23A+CLDJ23A-1)	45 50	45 50	19.6	11.0	
37.5 (SJ25+TDJ23A+ 4x DJ23A+CLDJ23A-1)	55	55	16.8	10.0	
32.0 (TDJ23A+ 4x DJ23A+CLDJ23A-1)	60	60	14.1	10.0	

n°	Ref.	h (m)	h (m)
1	SJ25	2.0	5.5
2	TDJ23A	2.0	5.5
4	DJ23A	2.0	5.5
14	CLDJ23A-1	2.0	3.4

1xSJ25=1xSJ25M

Other wind zones or additional hook heights on request
其他风区或另外的吊钩高度请咨询